

2025 Fuso Canter 815

Details

Price: \$199,990 Inc. GST

Dealer Stock #:

New / Used: Dealer New



Seller Details

DAIMLER TRUCKS GOLD COAST



Name: Daimler Trucks Gold Coast

Phone: (07) 5515 0265

Dealer License: 1301846

No:

State: QLD

Suburb: Varsity Lakes

Postcode: 4227

Description

BRAND NEW FUSO CANTER 815 EQUIPPED WITH DITCH WITH AX30 VACUUM EXCAVATOR! Limited stock available, made to order in as little as 4 weeks! THE NEW FACE LIFT CANTER 815 WITH 6SP DUONIC (AMT) TRANSMISSION - STYLISH LOOK AND NOW WITH CAR PLAY!! THE NEW CANTER 815 6SP. DUONIC (AMT) TRANSMISSION COES STANDARD WITH: * Car Play * Bluetooth * Reverse Camera * Two Way Swing Tailgate * LED Headlamps & Indicators * New Front Grille & Bumper design to set you apart from the crowd. * Slotted Headboard * Lane Departure Warning * Advanced Emergency Braking System * Anti-Slip Regulator * Electronic Stability Program * Limited Slip Differential with aggressive tread rear tyres. FITTED WITH A DITCH WITCH® AX30 VACUUM EXCAVATOR! * 1,135L spoil capacity * 380l fresh water capacity * 24kW Kubota® diesel engine Ready to tackle the jobs the big boys can't reach! ***** Pictures are generated and may not represent finite details of the truck and Vac bodies features accurately ***** FUSO FACTORY WARRANTY ON CAB+ CHASSIS. 5 YEAR OR 200,000KLM WARRANTY WHICHEVER OCCURS FIRST 30,000KLM OR 12 MONTH SERVICE INTERVALS WHICHEVER OCCURS FIRST Limited stock available, made to order in as little as 4 weeks! Do you need Finance? Our in-house Finance Manager can help! We have a large range of lenders to customise a finance package to suit your needs with quick approvals and hassle-free finance to get you on the road in your new vehicle sooner. Contact us for a no-obligation quote or to arrange pre-approval. CALL OR MESSAGE ONE OF OUR FRIENDLY SALES TEAM TODAY ***** Pictures are generated and may not represent finite details of the truck and Vac bodies features accurately ***** BRAND NEW FUSO CANTER 815 EQUIPPED WITH DITCH WITH AX30 VACUUM EXCAVATOR! Limited stock available, made to order in as little as 4 weeks! THE NEW FACE LIFT CANTER 815 WITH 6SP DUONIC (AMT) TRANSMISSION - STYLISH LOOK AND NOW WITH CAR PLAY!! THE NEW CANTER 815 6SP. DUONIC (AMT) TRANSMISSION COES STANDARD WITH: * Car Play * Bluetooth * Reverse Camera * Two Way Swing Tailgate * LED Headlamps & Indicators * New Front Grille & Bumper design to set you apart from the crowd. * Slotted Headboard * Lane Departure Warning * Advanced Emergency Braking System * Anti-Slip Regulator * Electronic Stability Program * Limited Slip Differential with aggressive tread rear tyres. FITTED WITH A DITCH WITCH® AX30 VACUUM EXCAVATOR! * 1,135L spoil capacity * 380l fresh water capacity * 24kW Kubota® diesel engine Ready to tackle the jobs the big boys can't reach! ***** Pictures are generated and may not represent finite details of the truck and Vac bodies features accurately ***** FUSO FACTORY WARRANTY ON CAB+ CHASSIS. 5 YEAR OR 200,000KLM WARRANTY WHICHEVER OCCURS FIRST 30,000KLM OR 12 MONTH SERVICE INTERVALS WHICHEVER OCCURS FIRST Limited stock available, made to order in as little as 4 weeks! Do you need Finance? Our in-house Finance Manager can help! We have a large range of lenders to customise a finance package to suit your needs with quick approvals and hassle-free finance to get you on the road in your new vehicle sooner. Contact us for a no-obligation quote or to arrange pre-approval. CALL OR MESSAGE ONE OF OUR FRIENDLY SALES TEAM TODAY ***** Pictures are generated and may not represent finite details of the truck and Vac bodies features accurately *****

Product Details

Further Details

Price	\$199,990	Badge	815
Type	Dealer New	Brakes	ABS - Disc
Year	2025	Engine Make	Fuso
Odometer	50.0 km	Fuel Capacity	100
Make	Fuso	Fuel Type	Diesel
Model	Canter 815	Gears Forward	6
Registration	N/A	GVM	7500
Date		Condition	Excellent
		Transmission	Automated Manual Transmission
		Air Conditioning	Yes
		Drive	4x2



OPTIMAL POWER	
Equipped with a 75kW Kubota® diesel engine for more power and performance.	
VERSATILITY	
The AX30 provides optimal traction and torque pressure for soft soil sites and features a one-piece秉杆 (秉杆 = a long, thin, tapered metal rod) or brush seal design, which optimizes air flow for increased efficiency and simplified plumbing.	
ENGINEERED FOR VERSATILITY	
Optimize jobs with an exclusive dual articulation, providing a wider range of motion.	
CUSTOM-DRIVEN DESIGN	
Featuring a low profile design, the machine offers better visibility and maneuverability without compromising ground clearance.	
SIMPLIFIED MAINTENANCE	
All maintenance points are more accessible with a staff power pack door design, making it easier to perform machine maintenance.	
SUPERIOR FILTRATION	
Standard cyclone filtration system minimizes filter cleaning frequency and increases productivity.	

DIMENSIONS		METRIC		FLUID CAPACITY		METRIC	
300 GALLON VACUUM & WATER		Length	5.8 m	Fuel tank capacity	16.6 L	Hydraulic tank	0.1 L
		Width	2.25 m	Hydraulic system	0.1 L	Hydraulic system	0.1 L
		Height	2.25 m	Cooling system	4.7 L	Cooling system	4.7 L
POWER							
Engine	Kubota D7105	Fuel	Diesel	Art. tank	12.6升	Reservoir tank	207升 (max)
Fuel tank	100 L	Coolant	Water	Reservoir tank	12.6升	Hydraulic tank	0.1 L
Hydraulic tank	0.1 L	Hydraulic system	0.1 L	Hydraulic system	0.1 L	Hydraulic system	0.1 L
Weight empty	2054 kg	Number of cylinders	2	Cooling system	4.7 L	Cooling system	4.7 L
VACUUM SYSTEM							
Manufacture	Wacker Neuson	Art. tank	12.6升	Reservoir tank	207升 (max)	Hydraulic tank	0.1 L
Model	WNEU-100	Reservoir tank	12.6升	Hydraulic system	0.1 L	Hydraulic system	0.1 L
Manufacture & gross power rating	25 kW	Reservoir tank	12.6升	Cooling system	4.7 L	Cooling system	4.7 L
Manufacture & gross power rating	25 kW	Hydraulic system	0.1 L	Cooling system	4.7 L	Cooling system	4.7 L
Reservoir tank	12.6升	Hydraulic system	0.1 L	Cooling system	4.7 L	Cooling system	4.7 L
Reservoir tank	12.6升	Cooling system	4.7 L	Cooling system	4.7 L	Cooling system	4.7 L
HYDRAULIC SYSTEM							
Flow rate	16.0 liters	Hydraulic system	0.1 L	Hydraulic system	0.1 L	Hydraulic system	0.1 L
Pressure	170 bar	Hydraulic system	0.1 L	Hydraulic system	0.1 L	Hydraulic system	0.1 L
WATER SYSTEM							
Flow rate	16.0 liters	Hydraulic system	0.1 L	Hydraulic system	0.1 L	Hydraulic system	0.1 L
Pressure	170 bar	Hydraulic system	0.1 L	Hydraulic system	0.1 L	Hydraulic system	0.1 L