DEVELON DX10Z-7 1T TRACKED EXCAVATOR

Details



Price:	POA
Dealer Stock #:	DX10Z-1
New / Used:	Dealer New

Seller Details

Name:	DWL Machinery
Phone:	(02) 8311 1321
Dealer License No:	8706626
State:	NSW
Suburb:	Austral
Postcode:	2179

Sales Representatives

Jacob

© 2015-2026 TruckDealers.com.au. All Rights Reserved.

Description

FOLLOW US FOR ALL NEW LISTINGS: @dwlmachinery Ph: Andrew 0401 873 538 or 1300 DIAL DWL ---------- The DEVELON DX10Z-7 1T Tracked Excavator is a compact, zero tail swing mini excavator designed to deliver maximum performance in confined work areas. Ideal for landscaping, residential construction, plumbing, electrical work, demolition and rental applications, the DX10Z-7 combines impressive digging power with exceptional stability and operator comfort. Powered by a reliable Kubota D722 3-cylinder diesel engine, the DX10Z-7 produces 10.35 HP (7.6 kW) while maintaining low fuel consumption and quiet operation. Its hydraulically expandable undercarriage retracts to just 730 mm wide, allowing the machine to easily pass through gates and doorways, before expanding to 1,100 mm for outstanding stability on the job. Featuring a zero tail swing design, foldable TOPS canopy, ergonomic operator controls and smooth hydraulic performance, the DX10Z-7 is built for productivity where space is limited. The longer boom and arm provide increased digging reach and dumping height compared to the previous model, reducing repositioning and improving efficiency. With a digging depth of up to 2,205 mm and operating weight of approximately 1,165 kg, this machine punches well above its class. Key Features: 1.0T class zero tail swing mini excavator Reliable Kubota D722 diesel engine (10.35 HP / 7.6 kW) Hydraulically expandable undercarriage (730–1,100 mm) Foldable TOPS canopy for easy transport and access Excellent lifting capacity and breakout force Longer boom and arm for increased reach and dump height Smooth, responsive hydraulic controls Rubber tracks for reduced ground disturbance Front dozer blade for backfilling and added stability Ideal for tight access construction, landscaping, utilities and civil works The DEVELON DX10Z-7 is the perfect solution for operators requiring a highly capable, easy-to-transport mini excavator that delivers big machine performance in the smallest of spaces. Combining compact dimensions, dependable reliability and premium build quality, it is an ideal choice for contractors, councils, hire fleets and owner-operators alike. ENGINE Make KUBOTA Model D722 Number of cylinders 3 Rated power, gross 10.35 hp (7.6 kW) @ 2,050 rpm Max. torque, net 4.08 kgf.m @ 1,600 rpm Displacement 0.719 l Bore and stroke 67 mm 68 mm Air cleaner Double elements Front - 2-Pillar Canopy Boom length mm 1,450 Arm length mm 890 Bucket capacity (ISO) m3 0.02 Undercarriage / Shoe Rubber A Overall length mm 3,010 C Overall height Boom mm 1,095 D Overall height Canopy mm 2,220 E Housing width mm 730 H Counterweight clearance mm 395 I Dozer lift clearance mm 227 J Dozer digging depth mm 220 K Tumbler distance mm 1,025 M Track length mm 1,353.1 N Track height mm 328.2 O Shoe width mm - P Dozer blade height mm 200 R Overall width (Retracted/Extended) mm 730/1,100 Q Track gage (Retracted/Extended) mm 550/920 Distance to dozer end mm 890 Canopy width mm 730 Rear-end distance mm 550 Ground clearance mm 150 Rear swing radius mm 550 Boom mm 1,450 Operating weight kg 1,165 Bucket (SAE) m3 0.02 Arm mm 890 A Max. digging reach mm 3,400 B Max. digging reach (ground) mm 3,355 C Max. digging depth mm 2205 D Max. digging height mm 3050 F Min. swing radius mm 1,410 (1,110) G Max. bucket pin height mm 2645 H Max. vertical wall depth mm 1025 I Max. radius vertical mm 2935 MACHINE DIMENSIONS WORKING RANGE PERFORMANCE Travel speed (low high) 1.7/3.4 km/h Traction force, max. (drawbar pull) 12.75 Kn Max. gradeability 30 Bucket digging force 10.8 kN Arm digging force 6.3 kN PERFORMANCE Fuel tank 14.2 l Cooling system (radiator capacity) 2 l Hydraulic tank 10.8 l Engine oil 2.8 l Travel device 2 0.33 l HYDRAULICS Main pumps 2 10.4 l/min @ 2,300 rpm Pilot pump (gear design) 3.1 l/min @ 2,300 rpm Max. pressure auxiliary line 176 bar Swing (crossover relief) 69 bar MAXIMUM SYSTEM PRESSURE Boom/arm/bucket (normal mode) 210 kg/cm2 Swing (crossover relief) 165 kg/cm2 SWING MECHANISM Swing speed 8.7 rpm Swing torque 152.7 kgf.m

© 2015-2026 TruckDealers.com.au. All Rights Reserved.

Product Details

Type	Dealer New
Make	Develon
Model	DX10-Z
Registration Date	8 April 2026

Further Details

configuration	Std Excav Boom
Excav Config	Std Excav Boom
Item Condition	New
Total Eng Power	10
Excav Size	1
Engine Make	Develon
Transmission	n/a
External Colour	Orange
Warranty	Enquire



© 2015-2026 TruckDealers.com.au. All Rights Reserved.