DEVELON DTL26 TRACKED SKID STEER LOADER

Details

Price:	POA
Dealer Stock #:	DTL26-1
New / Used:	Dealer New



Seller Details

Name:	DWL Machinery
Phone:	(02) 8311 1321
Dealer License No:	8706626
State:	NSW
Suburb:	Austral
Postcode:	2179

Sales Representatives

Jacob

© 2015-2026 TruckDealers.com.au. All Rights Reserved.

Description

FOLLOW US FOR ALL NEW LISTINGS: @dwlmachinery Ph: Andrew 0401 873 538 or 1300 DIAL DWL ---------- The DEVELON DTL26 Skid Steer Loader delivers exceptional power, performance, and versatility in a compact, highly manoeuvrable package. Designed to tackle demanding construction, landscaping, civil, agricultural, and material handling applications, the STL26 combines impressive lifting capability with operator comfort and reliability. Powered by a fuel-efficient diesel engine and featuring a robust vertical lift design, the STL26 offers excellent reach, breakout force, and stability for loading trucks, moving bulk materials, site preparation, and operating a wide range of attachments. Its spacious cab, intuitive controls, and outstanding visibility ensure maximum productivity throughout the working day. Whether you're moving soil, gravel, pallets, or debris, the DEVELON STL26 is built to get the job done efficiently and reliably. Features include: Powerful fuel-efficient diesel engine High-capacity vertical lift loader arms Hydraulic quick hitch for fast attachment changes Auxiliary hydraulics for a wide range of attachments Spacious, air-conditioned operator cab Excellent visibility and operator comfort Durable, heavy-duty construction Ideal for construction, landscaping, agriculture, demolition, and general earthmoving Make DEVELON Model DTL26 Emissions certification Number of cylinders 4 Rated power, gross (hp per SAE J1995) 72.7 PS (53.5 kW) @ 2600 rpm Rated power, net (hp per SAE J1349) 72.7 PS (53.5 kW) @ 2600 rpm Max. torque, net (SAE J1995) 280 Nm @ 1,600 rpm Displacement 2,392 cc Bore and stroke 90 x 94 mm Starter 12 V x 3.3 kW Battery 12 V, 100 AH Asperation Alternator 12 V, 90 A Air cleaner Powercore Aftertreatment DOC (Diesel Oxidation Catalyst) DTL26 A Tumbler distance 59.1 (1502 mm) B Overall length of track 78.8 (2002 mm) C Length (without bucket) 120.1 (3052 mm) D Length (bucket on ground) 153.1 (3891 mm) E Max. reach (arms parallel to ground) 61.3 (1558 mm) F Bucket pin reach at max. lift 22.2 (566 mm) G Reach at max. lift and dump 43.8 (1114 mm) H Ground clearance 8.8 (226 mm) I Height to top of cab 83.3 (2116 mm) J Max. overall height 162.8 (4137 mm) K Bucket pin height at max. lift 123.8 (3145 mm) L Clearance at max. lift and dump 89.9 (2284 mm) M Cabin height above house 400 mm shoe 71.6 (1821 mm) 450 mm shoe 74.8 (1901 mm) N Track gauge 59 (1501 mm) O Bucket width (factory bucket) 72 (1829 mm) P Departure angle 32 Q Rollback angle 25 R Rack back angle at max. height 86 S Max. dump angle 47.5 T Turning radius from center, rear 68.7 (1747 mm) U Turning radius from center, coupler 60.5 (1539 mm) V Turning radius from center, bucket 92.7 (2356 mm) MACHINE DIMENSIONS DRIVE SYSTEM Travel speed [low high] 9.5 / 14 km/h (FULL OPT.) Max. traction force (drawbar pull) 45.5 / 30.0 kN REFILL CAPACITIES Fuel tank 9.4 kg (92L) DEF tank Cooling system (radiator capacity) 40 kg Engine oil 14.6L Hydraulic tank 30(26.5)L Hydraulic system HYDRAULICS Main pump (STD) 91 Liter/min @ 2600 rpm Main pump (high) (US30, US31) 117 Liter/min @ 2600 rpm Pressure (STD) 241 bar Pressure (high) (US30, US31) 280bar ENVIRONMENT Sound level (2000/14/EC) 100.6 dB(A) Cabin sound level (ISO 6396) 75 dB(A)

© 2015-2026 TruckDealers.com.au. All Rights Reserved.

Product Details

Type	Dealer New
Make	Develon
Model	DTL26
Registration Date	8 April 2026

Further Details

configuration	
Excav Config	Std Excav Boom
Skid Steer Config	Tracked
Item Condition	New
Total Eng Power	75
Engine Make	Develon
Transmission	n/a
External Colour	Orange
Warranty	Enquire



© 2015-2026 TruckDealers.com.au. All Rights Reserved.





© 2015-2026 TruckDealers.com.au. All Rights Reserved.