2025 Variant 205 S1 - Tip

Details

Price: \$2,490 Inc. GST

Dealer Stock #:

New / Used: Dealer New

Seller Details



Name: A2B Trailers

Phone: (02) 8311 4254

Dealer 058440

License No:

State: NSW

Suburb: Erina

Postcode: 2250

Generated: 2025-10-23 13:25 Page 1 / 5

Description

Dimensions and weights Internal size (LxWxH) 199x115x34 cm Total size (LxWxH) 303x160x85 cm Loading height 51 cm Total weight: 750 kg Payload: 634kg Tare: 116kg Tip Angle 20 degrees Body Wheel 2 PCs, 13" Axles 1 piece, without brake Page – Material Steel Bottom Veneer, 9 mm Standard Equipment 13 or 7 Pin Plug Yes Tarpaulin knots 16 PCs. Interior Lashing Hooks 4 pcs. Opening/detachable pages Yes, the Tailgate Optional equipment (price incl. GST) Flat Tarpaulin and Jockey wheel Yes Flat Tarpaulin Yes Jockey Wheel, Narrow – incl. Seized Yes Extra steel sides waited., 30 cm Yes High-pressure framing inside. 105 cm Yes Mesh Grill, 50 cm Yes Sheet and aluminum edge, 10 cm Yes Hardtop, 45 cm Yes Aluminum Bottom No LED Road lights incl. Control box no Our chassis frames are hot dipped galvanised and with high demands on quality, safety and reliability – that's why we develop the very strongest and sturdiest trailers you will find imported from Europe. New E4 rated Tubeless radials on all wheels. Using either Knott/Alko rubber torsion suspension system or axle leaf spring systems for greater road stability. With safety white reflectors to the front, amber reflectors to the side and red to the rear as standard. Bright White safety reversal light. Whether It's a 2000kg, 2700kg or 3500kg knott/Al-ko, all couplings have a lockable position for greater security. Our Knott Braking system is of the mechanical overrun type – the hydraulically dampened overrun control device includes drum braking to all wheels, a dedicated handbrake and auto reverse mechanism. TUV load securing system with lashing brackets integrated into the side edges. Removable corner posts. Unique Easy Attachment panel hinges. Heavy profiled aluminum Front, rear and side panels with integrated fasteners. When Choosing your trailer, you will see that our tare weights are lower meaning greater payloads and overall reduced fuel consumption. Our trailers are designed to get the job done in the right situation. We deliver to businesses, government and private individuals, who want to work with the strongest trailers. Extra weather treatments can be added to your trailer to increase protection against atmosphere and increase weather repellence. We have developed the strongest and most robust trailers in Europe. Always with the user in mind; demanding companies and private individuals. We do not settle for average quality, we strive for perfection. Our trailers are designed to get the job done. Whatever the challenge may be, we will meet it.

Generated: 2025-10-23 13:25 Page 2 / 5

Product Details

Price \$2,490

Type Dealer New

Year 2025

Make Variant

Model 205 S1 - Tip

Registration N/A

Date

Further Details

Axle Configuration Single Axle

ATM 750

Tare 116

Suspension KNOTT

Wheels 13"

Axles 1 - unbraked

Hubmeter

Brakes no brakes included

Dimensions / Internal size (LxWxH)

Length 199x115x34 cm Total size

(LxWxH) 303x160x85 cm Loading height 51 cm

Options

Colour SILVER

Coupling

Colour

Tyre - Rear E4 rated tubeless radial

Tyre - Front E4 rated tubeless radial

Lighting

Generated: 2025-10-23 13:25 Page 3 / 5



Generated: 2025-10-23 13:25 Page 4 / 5





Generated: 2025-10-23 13:25

Page 5 / 5