# 2023 single axle Proline

#### **Details**

**Price:** \$7,281 Inc. GST

**Dealer Stock #:** v13p215

New / Used: Dealer New

# **Seller Details**



Name: A2B Trailers

**Phone:** (02) 8311 4254

**Dealer** 058440

License No:

State: NSW

Suburb: Erina

Postcode: 2250

Generated: 2025-10-23 13:09 Page 1 / 4

# Description

Weights and measures Inside Size (LxWxH) 254x144x35 cm Total size (LxWxH) 386x151x91 cm Loading height 56 cm Total Weight 1.350 kg Payload 1032 kg Structure Wheel 2 PCs, 10 "compact Axles 1 pc., With Brake Side Material Aluminum Bottom Finish, 15 mm Standard Equipment jockey wheel with adjustment Yes 13 Or 7 pin plugs Yes Inside lashing rings 6 pieces. Retractable/removable sides Yes, all 4 Removable corner posts Yes Optional Extras Available With This Model Flat Tarpaulin Yes Extra Alusides open up., 35 cm Yes High pressure/stand, inside 145 cm Yes Net grid, 60 cm Yes Finger lid with aluminium edge, 10 cm Yes Hardtop, 100 cm Yes Aluminum Bottom Yes Front Stand – 70 cm Yes LED Light kit incl. control box Yes Shock absorbers (excl. Approved) Yes Our chassis frames are hot dipped galvanised and with high demands on quality, safety and reliability - that's why we develop the very strongest and sturdiest trailers you will find imported from Europe. New E4 rated Tubeless radials on all wheels. Using either Knott/Al-ko rubber torsion suspension system or axle leaf spring systems for greater road stability. With safety white reflectors to the front, amber reflectors to the side and red to the rear as standard. Bright White safety reversal light. Whether It's a 2000kg, 2700kg or 3500kg knott/Al-ko, all couplings have a lockable position for greater security. Our Knott Braking system is of the mechanical overrun type – the hydraulically dampened overrun control device includes drum braking to all wheels, a dedicated handbrake and auto reverse mechanism. TUV load securing system with lashing brackets integrated into the side edges. Removable corner posts. Unique Easy Attachment panel hinges. Heavy profiled aluminum Front, rear and side panels with integrated fasteners. When Choosing your trailer, you will see that our tare weights are lower meaning greater payloads and overall reduced fuel consumption. Our trailers are designed to get the job done in the right situation. We deliver to businesses, government and private individuals, who want to work with the strongest trailers. Extra weather treatments can be added to your trailer to increase protection against atmosphere and increase weather repellence. We have developed the strongest and most robust trailers in Europe. Always with the user in mind; demanding companies and private individuals. We do not settle for average quality, we strive for perfection. Our trailers are designed to get the job done. Whatever the challenge may be, we will meet it.

Generated: 2025-10-23 13:09 Page 2 / 4

# **Product Details**

**Price** \$7,281

**Type** Dealer New

**Year** 2023

Make single axle

Model Proline

Registration N/A

Date

### **Further Details**

**Axle Configuration** Single Axle

**ATM** 1.350 kg

**Tare** 318

**Suspension** KNOTT rubber torsion

**Wheels** 2 pcs 195/50 13C

**Axles** 1 piece with brakes

Hubmeter

**Brakes** brake is included

Dimensions /inside Size (LxW254x144x35LengthcxH) m Total size (LxWxH)

386x151x91 cm Loading

height 56 cm

Options

Colour SILVER

Coupling

Colour

**Tyre - Rear** E4 rated tubeless radial

**Tyre - Front** E4 rated tubeless radial

Lighting

Generated: 2025-10-23 13:09 Page 3 / 4





 $^{\scriptsize \textcircled{\tiny 0}}$  2015-2025 TruckDealers.com.au. All Rights Reserved.

Generated: 2025-10-23 13:09 Page 4 / 4